









FL SERIES  
Outdoor fixed installation

# FL SERIES

Outdoor fixed installation



-  Flame resistance
-  Ip68 Outdoor Protection Level
-  Aluminum material proposal
-  Front and Rear Maintenance
-  Energy Low Power Consumption

Common Cathode Aluminum LEX Display with 75% Energy Saving



Pixel Pitch (mm)	6.67	8	10
LED Lamp	NationStar RS Gold	NationStar RS Gold	NationStar RS Gold
Scan Mode	1/6	1/3	1/2
Resolution(dot/m <sup>2</sup> )	22477	15625	10000
Max. Consumption	850W/m <sup>2</sup>	750W/ m <sup>2</sup>	900W/ m <sup>2</sup>
Ave. Consumption	285W/m <sup>2</sup>	250W/ m <sup>2</sup>	300W/ m <sup>2</sup>
Brightness	9000 Nits	9000 Nits	11000 Nits
Cabinet Size(mm) W/H/T	960*960*100mm (Can be Customized)		
Viewing Angle	140°/120°		
Refresh Rate	3840Hz		
Greyscale	It is available within 65536 grade at random		
Protection Level	IP66/ IP68		
Maintenance	Front and rear		
Authentication	EMC/BIS/PSE/FCC/CE/UL/CB		

# Specification



## ◆ Application Field



We have the certification of ISO9001, FCC and CE with experience of over 25 years of manufacturing, installation, design and services.

Suitable for all outdoor solutions: building exterior advertising, public squares, highway billboards, stadiums, churches, car dealerships and much more.