



PRODUCTS
CATALOG

Bring
your
imagination
to reality

americanledgroup.com

FEATURES

3840HZ 


HIGH BRIGHTNESS 13,000 NITS 

16 BIT GRAY SCALE 

- IP68 Outdoor Protection Level
- Flame resistance
- Aluminum material proposal
- Front and Rear Maintenance
- Low power consumption energy



PIXEL PITCH (mm) P3.81 | P5.3 | P6.67 | P8.0 | P10.0



FL SERIES

Outdoor fixed installation

CABINET SIZE (mm) 960X960 | 1280X640 | 960X640

APPLICATIONS



Outdoor



Fixed LED display



Advertising



Billboard

Other applications: Church, Government projects, Hotels, Schools, Restaurants, Billboards and much more.

FEATURES

3840HZ 

ENERGY SAVING 

16 BIT GRAY SCALE 

EASINESS AND PERFORMANCE 

- High precision and great flatness.
- Corrosion resistance, not easy to bend, good heat dissipation.
- Strong flame resistance
- High brightness

PIXEL PITCH (mm) P1.95 | P2.60 | P2.97 | P3.91 | P4.81



HERO 250 s

Outdoor fixed installation



APPLICATIONS



HERO S

Outdoor fixed installation

PIXEL PITCH (mm) P4.44 | P5.33 | P6.67 | P8 | P10

CABINET SIZE (mm) 960X960MM



FEATURES

3840HZ 

• Silent operation, low heat output (no fans)

ENERGY SAVING 

• Light weight and practical cabinet

16 BIT GRAY SCALE 

• Extremely close view distances and wide view angles.

IP65 PROTECTION 

• Front Service / Back Service

PIXEL PITCH (mm) P5.0 | P6.67 | P8.0 | P10.0

MX SERIES

Outdoor fixed installation

CABINET SIZE(MM) 960X960MM



APPLICATIONS



Rental



Advertising



Corporate



Marketplace

FEATURES

7680HZ 

ENERGY SAVING 

16 BIT GRAY SCALE 

- Extremely close viewing distances and wide viewing angles.
- Silent operation, low heat output (with ventilation outlets).
- Standard panel design makes the cabinet robust and resistant to harsh weather conditions.
- Cabinet with IP65 protection and rear maintenance.

PIXEL PITCH (mm) P5.0 | P6.67 | P8.0 | P10.0

PERIMETER S

Outdoor fixed installation



CABINET SIZE(MM) 960X960MM



BRACKET FOR STADIUM CABINET



PROTECTION FOAM
LENGTH: 960MM | THICKNESS:50MM

APPLICATIONS



Stadium



Sports court

Applications: Football / Basketbal / Tennis / Stadium Perimeter and much more.

FEATURES

- 7680Hz refresh rate
- Smart image and energy management software
- Light and practical cabinet
- Curve
- Power redundancy
- Black face
- 16 bit gray scale



PIXEL PITCH (mm) P1.9 GOB P2.604 | P2.976 | P3.91 indoor P2.97 | P3.91 | P4.81 outdoor



AL SERIES

Rental outdoor/indoor

APPLICATIONS



FEATURES

7680HZ 

ENERGY SAVING 

16 BIT GRAY SCALE 

EASINESS AND PERFORMANCE 

- Silent operation, low heat output (no fans).
- Lightweight and practical cabinet.
- Extremely close view distance and wide view angles.
- Black face.

PIXEL PITCH (mm)	P2.6	P3.91	P3.91
	GOB	indoor	outdoor




G SERIES

Rental outdoor/indoor

CABINET SIZE(MM) 1000X500MM
500X500MM

APPLICATIONS



FEATURES

3840HZ 




16 BIT GRAY SCALE 

- The UTC series supports splicing with varying cabinet dimensions
- Light, thin and adjustable
- Front maintenance
- COB flip-chip modules only


PIXEL PITCH COB (mm) P0.93 | P1.25 | P1.56

UTC SERIES

Indoor fixed intallation



MINI FLIP CHIP TECHNOLOGY



PANEL SIZE 600*337*39 MM



PANEL SIZE 600*675*39 MM

APPLICATIONS



Church



Mall



Grocery store

FEATURES

3840HZ 

16 BIT GRAY SCALE 

- The QE series supports splicing with varying cabinet dimensions
- Light, thin and adjustable
- Front maintenance


PIXEL PITCH SMD (mm) P 1.25 | P 1.53 | P 1.86 | P 2.0 | P 2.5 | P 4
 COB (mm) P 0.9 | P 1.2 | P 1.5 | P 1.8

QE SERIES

Indoor fixed intallation



APPLICATIONS



FEATURES

3840HZ 

• High Transparency

IP65 PROTECTION 

• Excellent 24/7 Stability

• Corrosion resistance, not easy to bend, good heat dissipation.

PIXEL PITCH (mm) P3.91-7.82 | P5.21-10.42

MESH SERIES

Indoor/outdoor fixed installation

CABINET SIZE(MM) 1000X500MM



APPLICATIONS



Outdoor



Outdoor 3D




Seaside



Advertising

FEATURES

3840HZ 

16 BIT GRAY SCALE 


- The MUPI series supports splicing with varying cabinet dimensions
- Light, thin and adjustable
- Front maintenance
- COB flip-chip modules only

PIXEL PITCH (mm) COB (mm) P0.625 | P0.9 | P1.25 | P1.56 | P1.86

MUPI SERIES

Full flip-chip Common cathode COB Mini LED

- Cabinet size: 600*337.5mm
- A poster screen consists of 5 cabinets: H1687.5mm (Recommendation)
- A poster screen consists of 6 cabinets: H2025mm (Recommendation)



PANEL SIZE 600*337*39 MM



Default screen



Mode one



Mode two




Mode three



Mode four

More modes.....



Floor-standing



Based (Removable wheels)



Ceiling Mounted



Wall Mounted

Continuous transmission of images



Creative type

**We believe that visual
communication is a
powerful way to tell
stories and create
connections!**



americanledgroup.com



8060 NW 71st St, Miami FL 33166

contact@americanledgroup.com

+1-786-578-0444

+1-801-381-5402